Paul Hamlyn Foundation

Logo guidelines

May 2024



Endorsement logo

This logo can be used on materials to show you are working with Paul Hamlyn Foundation.

Our logo can signify acknowledgement of your grant and our support for your work. Any use of the logo should be discussed with your Grants Manager at the Foundation.


There are two versions of the logo you can use: our main logo and a reversed version when you are using our logo against a dark background.

All versions of the endorsement logo must only be used from the artwork provided. Never compress or stretch the logo.



Primary endorsement logo

For use on white and light coloured backgrounds



Reversed endorsement logo

For use on dark coloured backgrounds

Endorsement logo size and spacing

The endorsement logo has an exclusion zone (marked **x** below) to space it away from other elements. It is equivalent to half the height of the PHF device container.

The logo has a number of recommended sizes depending upon the standard paper size or digital device on which it appears.

Exclusion zone

X		X
X	phf Paul Hamlyr	
X	Foundation	
X		X

Recommended sizes for print

PHF device height
26mm
18mm
18mm
15mm
18mm

Recommended sizes for digital

Screen width	PHF device height
1920dp	50dp
768dp	50dp
375dp	45dp


Minimum size for print




Minimum size for digital
















Paul Hamlyn Foundation

For any questions about these guidelines, please contact the Paul Hamlyn Foundation communications team.

Paul Hamlyn Foundation 5–11 Leeke Street London WC1X 9HY

020 7812 3300 information@phf.org.uk phf.org.uk

